

MULTI-PURPOSE DRAINAGE PUMPS



UNILIFT KP

UNILIFT KP comprises of lightweight yet highly efficient drainage pumps, designed for pumping domestic drain water and grey wastewater. The submersible single-stage pumps have semiopen impellers that allow particles of Ø10 to pass freely while a stainless steel strainer prevents anything bigger to enter the pump. Suitable for both permanent and temporary installation the UNILIFT KP is flexible drainage pump, ideal for both urgent and recurring drainage installations.



THE UNILIFT CC IN MORE DETAIL

BENEFITS

- · Lightweight
- · Permanent as well as portable installation
- · Simple installation
- · Service-friendly
- · Optional automatic operation
- · High grade stainless steel suitable for light aggressive liquids

APPLICATIONS


- Rainwater, drainage water and water from flooding
- · Pool water
- Effluents from showers, washing machines and sinks below sewer level
- Comes in a high grade stainless steel suitable for light aggressive liquids

UNILIFT KP – KEY FEATURES

- · Prevention of backflow*
- Thermal overload protection
- · Auto-restart
- Handy and easy to transport
- · Can be supplied with or without a level switch
- Clip-on strainer for easy maintenance
- Optional non return valve to prevent backflow

UNILIFT KP – RANGE				Weight
	H1	B1	B2	[kg]
UNILIFT KP 150	220	140	30	7.3
UNILIFT KP 250	220	140	30	7.0
UNILIFT KP 350	230	140	30	8.1

UNILIFT KP - PERFORMANCE CURVE



UNILIFT KP – TECHNICAL DATA


Max. flow rate, Q: 14 m³/h

· Max. head, H: 9 m

Liquid temp.: 0 °C to +50 °C

Max. particle size: Ø10

· Material: Stainless steel





^{*}Prevention of backflow requires KP fitted with non-return valve