

Concealed thermostat with two function volume control - Chrome

SERIES SPECIFIC

36 426 970 Product version up to 8/24/2020



- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

	Chrome	36 426 970-00
	Brushed Platinum	36 426 970-06
	Platinum	36 426 970-08
	Dark Chrome	36 426 970-19
	Light Gold (PVD)	36 426 970-26
	Brushed Light Gold (PVD)	36 426 970-27
	Brushed Durabrass (23kt Gold)	36 426 970-28
	Matte Black	36 426 970-33
	Brushed Gold (PVD)	36 426 970-37
	Brushed Dark Brass (PVD)	36 426 970-39
	Brushed Bronze (PVD)	36 426 970-42
	Brushed Dark Bronze (PVD)	36 426 970-43
	Brushed Champagne (22kt Gold)	36 426 970-46
	Champagne (22kt Gold)	36 426 970-47
	Brushed Chrome	36 426 970-93
	Brushed Dark Platinum	36 426 970-99

Required miscellaneous



Concealed thermostat with built-in isolators - 35 426 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




Concealed thermostat - 35 425 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm


Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90



Flow rate chart



Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen	XP P 41-280




Concealed thermostat with two function volume control - Chrome

SERIES SPECIFIC

36 426 970 Product version up to 8/24/2020

Certificates and sustainability				
ACS_20 ACC LY	LGA_19	ETA_20	DVGW_DW-6512DN0	LGA_19
WRAS_250402	EPD-DOR-20230287 -IBA1-EN Environmental.prod uct-declarat			





Concealed thermostat with two function volume control - Chrome

SERIES SPECIFIC

36 426 970 Product version up to 8/24/2020

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
19	09 11 02 243-00	plate	1.00	26
14	09 12 12 054 90	base	1.00	14
21	09 30 01 296 90	disc	1.00	14
22	90 30 01 190 00 90	disc	1.00	14
5	90 12 12 002 00 90	fixing cap	1.00	14
7	90 17 33 004 00-00	handle	1.00	82
18	09 31 11 134 90	pin	1.00	14
20	09 30 30 157 90	screw	4.00	14
15	09 28 10 143 90	regulator	1.00	82
1	90 90 03 163 00 90	diverter	1.00	14
27	09 28 10 150 90	regulator	1.00	82
17	09 12 12 051-00	base	1.00	26
6	09 20 67 006-00	handle	1.00	82
26	90 15 02 012 00 90	cartridge	1.00	82
28	09 28 10 151 90	regulator	1.00	82
25	09 24 04 257 90	nut	2.00	14
9	90 16 02 027 00 90	spring	1.00	14
2	09 12 12 053-00	base	1.00	26
13	90 12 12 052 00 90	base	1.00	14
12	90 30 30 124 00 90	screw	1.00	14
24	90 18 40 077 01 90	spindle	2.00	14
23	90 23 01 124 00 90	sleeve	2.00	14
11	90 31 20 049 00-00	plug	1.00	26
3	04 29 06 111 01-00	spindle	1.00	26
4	90 23 30 023 00 90	nut	2.00	14
10	90 30 30 136 00 90	screw	1.00	14
16	04 29 06 024 01-00	spindle	1.00	26
8	90 21 33 011 00-13	handle	1.00	14