

Concealed thermostat with built-in isolators -

SERIES-VARIOUS

35 426 970 90



- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2" connections
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm
- WRAS

Recommended miscellaneous



**Drybox Concealed thermostat -**
39 426 970 90

•Overflow is part of the scope of delivery.

Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -**
12 340 970 90


Required miscellaneous



**xGRID Installation track 555 mm -**
12 360 970 90



35 426 970 90



## Spare parts list

| No. | Item Number        | Name                | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1   | 09 30 30 171 90    | screw               | 4.00          | 14            |
| 2   | 04 30 31 024 01 90 | fixing set          | 2.00          | 14            |
| 3   | 04 17 20 127 00 90 | holder              | 1.00          | 14            |
| 15  | 09 14 10 512 90    | seal                | 1.00          | 14            |
| 9   | 09 31 20 093 90    | plug                | 1.00          | 14            |
| 6   | 09 31 20 092 90    | plug                | 1.00          | 14            |
| 14  | 04 29 05 031 01 90 | insert              | 2.00          | 14            |
| 11  | 09 14 10 112 90    | seal                | 2.00          | 14            |
| 10  | 09 31 20 094 90    | plug                | 1.00          | 14            |
| 17  | 09 30 30 112 90    | screw               | 3.00          | 14            |
| 18  | 04 14 03 080 00 90 | gasket kit          | 1.00          | 14            |
| 16  | 04 21 02 146 00 90 | cap                 | 1.00          | 14            |
| 5   | 04 31 20 006 00 90 | plug                | 2.00          | 14            |
| 8   | 04 31 20 039 11 90 | plug                | 3.00          | 14            |
| 12  | 04 30 11 149 00 90 | plug                | 2.00          | 14            |
| 13  | 90 23 01 040 00 90 | back-flow preventer | 2.00          | 14            |
| 4   | 90 11 11 077 00 90 | insert              | 1.00          | 14            |
| 7   | 09 14 10 139 90    | seal                | 3.00          | 14            |