

Concealed thermostat with one function volume control - Brushed Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020



- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

	Brushed Platinum	36 425 970-06
	Chrome	36 425 970-00
	Platinum	36 425 970-08
	Dark Chrome	36 425 970-19
	Light Gold (PVD)	36 425 970-26
	Brushed Light Gold (PVD)	36 425 970-27
	Brushed Durabrass (23kt Gold)	36 425 970-28
	Matte Black	36 425 970-33
	Brushed Gold (PVD)	36 425 970-37
	Brushed Dark Brass (PVD)	36 425 970-39
	Brushed Bronze (PVD)	36 425 970-42
	Brushed Dark Bronze (PVD)	36 425 970-43
	Brushed Champagne (22kt Gold)	36 425 970-46
	Champagne (22kt Gold)	36 425 970-47
	Brushed Chrome	36 425 970-93
	Brushed Dark Platinum	36 425 970-99

Required miscellaneous



Concealed thermostat with built-in isolators - 35 426 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm

Required miscellaneous



xGRID Installation track 555 mm - 12 360 970 90

Required miscellaneous



Concealed thermostat - 35 425 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm


Recommended miscellaneous




xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

36 425 970 Product version up to 8/24/2020

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen

VA-Zeichen




Concealed thermostat with one function volume control - Brushed Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020

Certificates and sustainability

LGA_19	ETA_20	DVGW_DW-6512DN0	LGA_19	WRAS_250402
EPD-DOR-20230287 -IBA1-EN Environmental.product-declarat				





Concealed thermostat with one function volume control - Brushed Platinum

SERIES SPECIFIC

36 425 970 Product version up to 8/24/2020

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 20 67 006-06	handle	1.00	82
23	09 28 10 188 90	regulator	1.00	14
10	09 12 12 054 90	base	1.00	14
5	90 12 12 002 00 90	fixing cap	1.00	14
14	09 31 11 134 90	pin	1.00	14
18	90 30 01 190 00 90	disc	1.00	14
21	09 24 04 257 90	nut	2.00	14
24	09 28 10 189 90	regulator	1.00	14
2	09 12 12 053-06	base	1.00	26
15	09 11 02 242-06	plate	1.00	26
7	90 17 33 017 00-06	handle	1.00	26
1	90 90 03 166 00 90	top	1.00	14
13	09 12 12 051-06	base	1.00	26
22	90 15 02 013 00 90	cartridge	1.00	14
11	09 28 10 187 90	regulator	1.00	14
16	09 30 30 157 90	screw	4.00	14
17	09 30 01 296 90	disc	1.00	14
12	04 29 06 024 01-00	spindle	1.00	26
19	90 23 01 124 00 90	sleeve	2.00	14
3	04 29 06 111 01-00	spindle	1.00	26
20	90 18 40 077 01 90	spindle	2.00	14
4	90 23 30 023 00 90	nut	2.00	14
9	90 12 12 052 00 90	base	1.00	14
8	90 30 30 124 00 90	screw	1.00	14