Product data sheet



GF Uponor Q&E expansion tool with heads M18 10bar 16/20/25/H32

1063909

- in suitcase



Application information GF Uponor Q&E expansion tool with heads M18 10bar

Specification

Spezifikation:
- Q&E Fittings und Sicherungsringe für Uponor PE-Xa Rohre
- Metallfittings aus korrosionsbeständigem Messing
- Kunststofffittings aus PPSU (Polyphenylsulfon)
- Q&E Sicherungsringe müssen separat bestellt werden
- Außen- und Innengewinde nach DIN EN 10226-1

Anwendung:
- Fittingsystem für den Einsatzbereich von Heizungs- und Trinkwasser
- Max. Temperatur- und Druckbelastung: 95 °C / 6 bar / 10 bar

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E expansion tool with heads M18 10bar 16/20/25/H32

1063909



Product code

Item no EAN	4002395001842
Item no GF	35001063909
Item no GTIN	04002395001842
Item no NRF	9833856
Item no VVS	045339804

Dimensions

Item Unit Height	175
Item Unit Length	285
Item Unit Weight	7,723
Item Unit Width	230
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905465910
Packaging Height PL1	125
Packaging Length PL1	455
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,02104375
Packaging Weight PL1	7,823
Packaging Width PL1	370

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+